

133-8333-001	4	133-8701-801	6
133-8333-401	4	133-8701-831	7
133-8334-001	4	133-8711-201	5
133-8334-401	4	133-8711-202	5
133-8433-001	3	133-8711-207	5
133-8433-101	3	133-8711-208	5
133-8434-001	3	133-8801-201	5
133-8445-001*	3	133-8801-211	5
133-8445-101*	3	133-8901-801	7
133-8701-201	5	133-8901-811	7
133-8701-211	5	133-8901-821	7
133-8701-301	6	134-1068-021	8
133-8701-311	6	134-1068-031	8
133-8701-401	6	134-1089-001	8

Adapters


Type N Jack to 75 Ohm MCX Jack	8
Type N Jack to 75 Ohm MCX Plug	8
Type N Plug to 75 Ohm MCX Jack	8
Type N Plug to 75 Ohm MCX Plug	8
Between-Series Matching Pad 50 Ohm MCX Bulkhead Jack	8
Jack to Jack	7
Jack to Plug	7
Plug to Plug	7

Bulkhead Jack Receptacle	6
End Launch Jack Receptacle	6
Jack Precision Load	7
Right Angle Crimp Type Plug	3
Right Angle Jack Receptacle	6
Specifications	2
Straight Crimp Type Bulkhead Jack	4
Straight Crimp Type Jack	4
Straight Crimp Type Plug	3
Straight Jack Receptacle	5
Straight Plug Receptacle	5
Surface Mount Jack Receptacle	5

Specifications



Straight Crimp Type Plug - Solder or Crimp Captivated Contact




CABLE TYPE	GOLD PLATED
RG-179	133-8433-001
RG-179DS	133-8434-001
Belden 735A	133-8445-001*

Assembly instructions page 147.

See page 132 for Cable Assembly Tools.

*Available September 2000.

Right Angle Crimp Type Plug - Captivated Contact



CABLE TYPE	GOLD PLATED
RG-179	133-8433-101
RG-179DS	133-8434-101
Belden 735A	133-8445-101*

Assembly instructions page 149 .

See page 132 for Cable Assembly Tools.

*Available September 2000.


MCX - 75 Ohm Connectors

For Flexible Cable

JOHNSON
Components®


INCHES (MILLIMETERS)
CUSTOMER DRAWINGS AVAILABLE UPON REQUEST

Straight Crimp Type Jack - Solder or Crimp Captivated Contact





CABLE TYPE	GOLD PLATED
RG-179	133-8333-001
RG-179DS	133-8334-001

Straight Crimp Type Bulkhead Jack - Solder or Crimp Captivated Contact





CABLE TYPE	GOLD PLATED
RG-179	133-8333-401
RG-179DS	133-8334-401

Straight Plug Receptacle




"A"	GOLD PLATED
.155 (3.80)	133-8801-201
.110 (2.70)	133-8801-211

Straight Jack Receptacle



"A"	GOLD PLATED
.155 (3.80)	133-8701-201
.110 (2.70)	133-8701-211

Surface Mount Jack Receptacle



GOLD PLATED		PACKAGING
133-8711-201	133-8711-207	Bulk Packs
133-8711-202	133-8711-208	Tape and Reel 750 pieces



MCX - 75 Ohm Connectors

PC Mount

JOHNSON
Components®


INCHES (MILLIMETERS)
CUSTOMER DRAWINGS AVAILABLE UPON REQUEST

Right Angle Jack Receptacle





"A"	GOLD PLATED
.155 (3.80)	133-8701-301
.110 (2.70)	133-8701-311

End Launch Jack Receptacle




GOLD PLATED
133-8701-801

Bulkhead Jack Receptacle




GOLD PLATED
133-8701-401

Plug Precision Load




VSWR & FREQ. RANGE	GOLD PLATED
1.05 + .01f (GHz) 0-6 GHz	133-8801-831

Jack Precision Load




VSWR & FREQ. RANGE	GOLD PLATED
1.05 + .01f (GHz) 0-6 GHz	133-8701-831

Jack to Jack




GOLD PLATED
133-8901-801

Plug to Plug



GOLD PLATED
133-8901-811

Jack to Plug



GOLD PLATED
133-8901-821

MCX - 75 Ohm Connectors




Between-Series Adapters

JOHNSON
Components®

INCHES (MILLIMETERS)
CUSTOMER DRAWINGS AVAILABLE UPON REQUEST

Between-Series Matching Pad

50 Ohm MCX Bulkhead Jack to 75 Ohm MCX Plug




GOLD PLATED
134-1089-001

Mounting hole layout figure 5 page 174.

75 Ohm Type N Plug to 75 Ohm MCX Plug




STAINLESS STEEL PASSIVATED
134-1068-001




75 Ohm Type N Plug to 75 Ohm MCX Jack




STAINLESS STEEL PASSIVATED
134-1068-011




75 Ohm Type N Jack to 75 Ohm MCX Plug



STAINLESS STEEL PASSIVATED
134-1068-021



75 Ohm Type N Jack to 75 Ohm MCX Jack



STAINLESS STEEL PASSIVATED
134-1068-031

